A a B b C c D d E e F f G

A 58.45	A 64.12	A 65.22	A 64.55	A 64.35	A 64.75	A 68.35	A 70.39	A 73.11	A 71.64	A 74.87	A 73.33

A 76.66

Sec 6 Sec 5 Sec 4 Sec 3 Sec 2 Sec 1

76.20

Y H

76.13

Sec 7 Sec 8 Sec 9 Sec 10 Sec 11 Sec 12

77.22

X I

75.92

Sec 18 Sec 17 Sec 16 Sec 15 Sec 14 Sec 13

76.02

W K

77.79

Sec 19 Sec 20 Sec 21 Sec 22 Sec 23 Sec 24

78.03

V L

77.52

Sec 30 Sec 29 Sec 28 Sec 27 Sec 26 Sec 25

77.92

U M

Corn-stalk Town.

79.40

Sec 31 Sec 32 Sec 33 Sec 34 Sec 35 Sec 36

Raccoon Cr.

80.03

T S R q Q p P o O n N

Scale of 40 chains to an inch.

Var. 6° 50′ E.

Township No. XVII North, Range No. IV West 2nd Mer. surveyed by Joseph S. Allen. 1820.



Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35&36	— Ash	33&34	Land level. Some Broken. Sugar. B. Walnut. Hickory. Ash	4&5	Land 1st rate. B. Walnut, Sugar, Oak, Ash, [illegible] Spice
25.36	Land level. Good for farming, Sugar, B. Walnut, Hickory—	27.34	Same	31.32	Same
25.26	Same, rich	27.28	Same	29.32	Same
24.25	Same	22.27	Same	29.30	Same – 2nd rate
23.24	Same	21.22	Same – level	20.29	Same
13.24	—	15.22	Same	19.20	Same – Rich
13.14	Same – Rolling	15.16	Same	17.20	Same
12.13	Same	10.15	Same	17.18	Thin level. Wet land – Sycam. Elm. Poplar &c.
11.12	Same – Some broken	9.10	Same	8.17	Same
1.12	Same	3.10	Same	7.18	Land 2nd rate – Beech. Oak & Sugar
1.2	Same, 2nd rate, level	3.4	Same	5.8	Same. 2nd rate
34.35	Same – Rolling	32.33	Land Rolling – B. Walnut. Sugar. Beech	5.6	Land 2nd rate. Sub rich. Ash. Oak. Walnut & Sugar
26.35	Same – level	28.33	Same – Broken	6.7	Same
26.27	Same – Rolling	28.29	Same	7.18	Same
23&26	—	21.28	Same	18.19	Same
22.23	Same	20.21	Land Wet, 2nd rate	30.31	Same
14.23	Same	16.21	Same	19.30	Same
14.15	Same – level	16.17	Same		
11.14	Same	9.16	Same		
10.11	Same	8.9	Same		
2.11	Same	4.9	Same		
2.3	Same				

Township No. 17 North, Range No. 4 West of 2nd Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
A	W. Oak	36	S 17 W	8	
	Hickory	12	N 19 E	26	
a					
B	Beech	15	East	6	
	do	10	S 4 W	30	
b					
C	Sugar	16	S 74 W	12	
	B. Walnut	24	S 50 E	16	
c					
D	Sugar	12	S 78 E	14	
	do	20	S 80 W	23	
d					
E	Beech	12	S 15 W	11	
	W. Elm	10	S 15 E	50	
e					
F	B. Oak	17	S 79 E	59	
	W. Elm	18	S 82 W	46	
f					
G	Hickory	30	S 27 W	9	G to H Level good farming land
	Sugar	14	N 56 E	34	Beech Sugar Ash Elm Lynn
g	Hornbeam	8	S 59 E	5	
	Beech	10	N 3 E	11	
H	Sugar	18	S 29 W	41	H to I Similar
	Beech	30	N 4 E	47	
h	Beech	18	S 7 E	46	
	W. Oak	14	N 15 W	19	
I	Ironwood	6	S 4 W	11	I to K Level good farming land
	Beech	6	N 48 W	12	Beech Sugar Walnut Ash Buckeye
i	Sugar	24	S 19 E	11	
	W. Oak	6	N 14 W	44	
K	W. Oak	9	N 30 E	22	K to L Level & Rolling good
	do	30	N 58 W	19	for farming
k	Beech	9	S 82 E	19	
	Ironwood	5	N 28 W	11	
L	W. Oak	30	S 43 E	10	L to M Level part rather Wet
	do	9	N 19 W	36	Beech Sugar Oak Ash Hickory
l	Hickory	24	S 47 E	29	
	Ironwood	8	North	8	
M	Thorn	9	N 57 W	7	M to N Rolling & good Beech Sugar
	Hornbeam	8	S 21 E	19	Ash Elm Lynn
m	Ironwood	7	S 13 E	16	
	do	6	N 81 W	6	
N	Ironwood	5	N 28 W	20	N to O Level good farming land
	Hickory	30	S 29 W	2	Beech Sugar Ash
n	Sugar	9	S 79 E	13	
	B. Walnut	19	N 61 W	28	
O	Elm	9	S 15 E	39	O to P Land 1st rate Sugar
	Hickory	5	N 35 W	[illegible]	Walnut Oak &c
o	Sugar	5	S 1 E	9	
	Hickory	12	S 49 W	[illegible]	
P	Sugar	20	N 4 W	23	P to Q First rate bottom overflows
	B. Oak	6	S 43 E	32	part
p	Hackberry	8	S 61 E	11	
	Buckeye	8	N 53 W	19	
Q	B. Walnut	6	N 46 E	26	Q to R
	Hackberry	10	N 79 E	28	
q	Sugar	20	N 57 W	33	
	do	26	S 82 E	25	
R	Beech	14	N 2 E	6	R to S Tolerable good for
	Buckeye	6	S 38 W	17	farming
r	Beech	10	S 19 E	45	
	Sugar	12	N 74 W	17	
S	Beech	8	S 29 E	11	S to T Same
	Sugar	10	N 33 E	20	
s	Hickory	9	N 61 E	19	
	Lynn	14	S 82 W	11	
T	Poplar	12	N 66 E	18	
	do	12	S 81 W	25	
t					
U	Beech	6	N 4 E	21	
	do	10	N 67 E	28	
u					
V	R. Elm	6	N 2[illegible] E	32	
	Sugar	9	N [illegible] E	2	
v					
W	Beech	22	S 34 E	30	
	do	26	S 55 E	35	
w					
X	W. Ash	22	N 39 E	20	
	Sugar	13	S 45 E	15	
x					
Y	B. Ash	10	S 25 W	9	
	do	5	N 73 E	9	
y					

Interior Section Corners described

Corners of Sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
25.26.35.36	Sugar	20	N 30 E	23
	Beech	8	S 35 W	20
23.24.25.26	Sugar	20	N 25 E	9
	W. Oak	15	S 65 W	52
13.14.23.24	Hickory	10	N 22 W	9
	Sugar	17	S 80 E	29
11.12.13.14	Beech	20	S 25 W	22
	W. Oak	12	S 45 E	37
1.2.11.12	B. Walnut	10	S 57 W	32
	Beech	6	N 72 E	46
26.27.34.35	Willow	5	East	4
	do	9	S 58 W	[illegible]
22.23.26.27	B. Oak	30	S 2[illegible] E	26
	Ironwood	5	S 5[illegible] W	[illegible]
14.15.22.23	Poplar	72	West	17
	Sugar	16	East	4
10.11.14.15	Beech	14	S 54 W	24
	W. Oak	30	S 42 E	47
2.3.10.11	Beech	15	S 5 W	20
	do	12	N 13 W	24
27.28.33.34	Sugar	20	N 27 W	35
	do	24	S 51 E	12
21.22.27.28	Sugar	14	S 44 E	30
	Beech	5	N 25 W	5
15.16.21.22	W. Oak	30	S 48 W	15
	W. Elm	5	N 20 E	6
9.10.15.16	Sugar	15	S 13 W	43
	Beech	24	S 33 E	33
3.4.9.10	Sugar	12	S 55 E	31
	W. Elm	6	S 44 W	43
28.29.32.33	W. Elm	40	S 85 W	33
	Beech	16	N 31 E	25
20.21.28.29	Sugar	24	N 36 E	20
	Beech	9	N 61 W	14
16.17.20.21	W. Oak	38	S 57 E	21
	W. Ash	17	N 48 E	27
8.9.16.17	Walnut	10	S 32 W	27
	Lynn	13	N 15 W	9
4.5.8.9	B. Ash	10	S 70 W	34
	do	10	N 57 E	22
29.30.31.32	Sugar	24	S 45 W	12
	do	20	N 65 E	24
19.20.29.30	Sugar	12	N 22 E	13
	Hickory	13	S 33 W	21
17.18.19.20	Lynn	18	S 28 E	20
	do	20	S 81 W	32
7.8.17.18	Lynn	14	N 58 W	24
	Hickory	8	N 70 E	25
5.6.7.8	W. Ash	30	N 52 W	35
	B. Oak	32	S 37 E	40

Interior Quarter Section Corners

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
M to W at 1	B. Ash	10	S 26 E	13
	Hickory	12	N 40 W	31
2	Sugar	12	N 58 E	10
	Elm	24	S 36 W	27
3	Sugar	20	N 74 E	60
	do	20	N 71 E	40
4	Beech	24	N 13 W	10
	Sugar	10	S 33 E	19
5	W. Ash	20	S 71 W	25
	Sugar	15	N 88 E	28
6	Beech	12	N 16 W	17
	Sugar	13	S 78 E	18
L to V 1	B. Oak	24	N 8 W	10
	W. Oak	16	S 29 W	20
2	Sycamore	7	N 20 E	39
	Box Elder	6	S 78 E	60
3	Beech	24	North	11
	do	18	S 25 E	29
4	Beech	8	S 22 E	29
	[illegible]	6	N 25 E	23
5	[illegible]	18	N 74 W	30
	Ho. beam	8	N 20 W	4
6	W. Ash	24	S 36 E	17
	W. Elm	9	N 78 E	16
K to W 1	Buckeye	17	S 10 E	24
	Hickory	16	N 3 W	34
2	Poplar	48	N 13 E	13
	Sugar	15	S 32 W	19
3	Poplar	50	N 27 W	15
	Sugar	14	S 36 E	14
4	Sugar	24	S 43 E	21
	B. Oak	20	N 8 E	21
5	Beech	12	N 48 W	18
	do	10	S 29 E	25
6	Beech	4	Corner	
	Sugar	12	S 18 E	9
	do	10	N 42 W	16

Interior Quarter Section Corners.


From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
I to X at 1	W. Oak	26	N 11 E	8
	Ironwood	4	S 30 E	11
2	Sugar	20	N 5 W	16
	do	18	S 70 W	14
3	W. Ash	30	S 49 W	29
	Sugar	18	East	14
4	W. Ash	36	S 17 W	21
	Beech	18	N 71 E	30
5	W. Oak	28	S 17 W	21
	Beech	11	N 65 W	28
6	Hickory	18	S 32 W	30
	Sugar	18	N 19 E	12
H to Y 1	Hickory	40	N 4 W	24
	do	30	S 13 E	22
2	Beech	14	N 20 W	7
	Poplar	8	S 74 E	22
3	Poplar	5	N 34 E	23
	Beech	20	N 51 W	31
4	Beech	10	N 70 W	27
	do	15	S 11 E	25
5	W. Oak	24	N 78 W	23
	Maple	14	S 51 E	34
6	Beech	10	S 4 E	17
	do	8	N 59 E	17
O to E 1	W. Walnut	24	S 62 E	49
	Sugar	20	N 49 W	15
2	Hornbeam	5	N 72 E	18
	W. Elm	14	N 35 W	25
3	Sycamore	20	N 70 W	7
	Elm	12	N 34 E	14
4	B. Walnut	40	N 34 E	18
	Sugar	16	S 27 W	31
5	Sugar	18	S 78 W	24
	do	15	N 31 E	14
6	W. Elm	16	S 54 E	4
	Sugar	14	S 87 W	40
P to E 1	W. Walnut	20	North	25
	Sugar	20	S 78 E	25
2	Sycamore	15	N 3 E	44
	do	24	N 17 W	37
3	Sugar	18	S 76 E	28
	Hickory	9	N 76 W	16
4	W. Elm	28	S 20 W	28
	B. Oak	12	N 18 W	19
5	Buckeye	18	S 57 E	5
	Sugar	26	N 41 W	7
6	Beech	14	North	5
	W. Elm	15	N 76 E	17
Q to D 1	W. Oak	18	S 25 E	33
	Sugar	9	S 77 W	19
2	Ash	4	S 25 E	9
	Beech	7	N 15 W	24
3	W. Ash	14	S 18 E	5
	Lynn	18	N 18 E	40
4	Maple	13	S 87 W	20
	Beech	14	S 82 E	49
5	B. Ash	12	N 86 E	4
	W. Oak	20	S 19 W	32
6	B. Ash	14	S 4 E	30
	Beech	20	N 55 E	59
R to C 1	Beech	8	S 84 E	4
	do	6	S 86 W	22
2	Sugar	30	S 48 W	4
	Beech	12	S 62 E	57
3	Beech	10	S 44 E	53
	Hickory	18	N 40 E	57
4	Beech	15	S 85 W	13
	do	5	N 65 E	15
5	Hickory	12	S 38 W	14
	B. Ash	13	N 64 E	25
6	Beech	18	N 76 W	19
	do	24	S 62 E	25
S to B 1	Beech	4	S 35 W	10
	Sugar	15	N 35 E	22
2	Beech	12	N 10 E	30
	do	10	S 86 W	2
3	Sugar	14	S 31 W	26
	W. Ash	26	North	18
4	Poplar	50	S 41 E	14
	W. Oak	14	N 88 W	22
5	W. Oak	16	N 10 W	18
	do	—	S 25 E	40
6	Buckeye	14	N 51 E	10
	Elm	26	S 38 W	22

HQ

Township No. XVII North Range No. IV west 2d. Mer.

IND

A 135.05 A 144.12 Sec 6 A 154.20	A 145.17 A 144.55 Sec 5	A 144.05 A 144.45 Sec 4	A 149.46 A 156.69 Sec 3	A 157.50 A 155.94 Sec 2	A 153.89 A 152.35 Sec 1
A 156.13 Sec 7 A 157.22	Sec 8	Sec 9	Sec 10	Sec 11	Sec 12
A 155.82 Sec 18 A 156.02	Sec 17	Sec 16	Sec 15	Sec 14	Sec 13
A 157.79 Sec 19 A 158.03	Sec 20	Sec 21	Sec 22	Sec 23	Sec 24
A 157.52 Sec 30 A 157.92	Sec 29	Sec 28	Sec 27	Sec 26	Sec 25
A 159.40 Sec 31 A 160.03	Sec 32	Sec 33	Sec 34 Indian Cabbins	Raccoon Cr. Sec 35	Sec 36


Acres. 100
Total quantity 22.872.57

INDIANA.
N & W 2 P. M.

A true copy from the Original on file in this Office
Surveyor Generals Office. Feb. 21st. 1821 —
Edward Tiffin Sur. G.

IND

N 96 D

Entd. on the Map

91

Township No. XVIII North Range No. IV west 2d. Mer.

A 36.11 a B b C c D d E e F f G

38.11 AP AP AP 40.00 AP AP AP AP AP AP AP AP AP AP AP 23.941 AP AP AP AP AP

A 135.05 A 144.12 A 145.17 A 144.55 A 144.05 A 144.45 A 149.46 A 156.69 A 157.50 A 155.94 A 153.89 A 152.35

21.030

Sec 6 Sec 5 Sec 4 Sec 3 Sec 2 Sec 1

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

A 154.20

Y 38.70 79.90 80.00 77.55 79.30 H

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

A 156.13

Sec 7 Sec 8 Sec 9 Sec 10 Sec 11 Sec 12

AP AP AP AP AP AP AP AP AP 19.992 AP AP AP AP AP AP AP AP AP AP AP AP

A 157.22 16.928

X 39.25 80.00 79.85 80.00 79.96 78.64 I

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

A 155.82

Sec 18 Sec 17 Sec 16 Sec 15 Sec 14 Sec 13

AP AP AP AP AP AP 27.116 35.758 AP AP AP AP AP AP AP AP AP AP AP AP

A 156.02 32.065 16.562

W 37.36 80.00 79.80 80.00 80.00 79.80 K

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

A 157.79

Sec 19 Sec 20 Sec 21 Sec 22 Sec 23 Sec 24

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

A 158.03

V 37.50 79.90 79.80 80.00 80.00 79.50 L

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

A 157.52

Sec 30 Sec 29 Sec 28 Sec 27 Sec 26 Sec 25

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

A 157.92

U 39.70 79.80 79.85 80.00 80.00 79.80 M

AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP Indian Cabbins AP AP AP AP AP AP AP AP AP AP

A 159.40

Sec 31 Sec 32 Sec 33 Sec 34 Sec 35 Sec 36

AP AP AP AP AP AP AP AP AP AP AP AP 16.732 16.733 AP AP AP AP AP AP

A 160.03 16.725 16.726

40.00

T S R Q P O N

A true Copy from the Original on file in this Office
Surveyor Generals Office Feb. 21st 1824
Edward Tiffin Surv.